0123:4567:89ab:cdef 0123:4567:89ab:cdef:0123:4567:89ab:cdef 0123:4567:89ab:cdef

Athlone Institute of Technology

0123:4567:89ab:cdef:0123:4567:89ab:cdef

: 4567 : 89ab : cdef : 0123 : 4567 : 89ab : cdef

: 89ab : cdef : 0123 : 4567 : 89ab : cdef

: cdef : 0123 : 4567 : 89ab : cdef

?ab : cdef : 0123 : 4567 : 89ab

ef: 0123: 4567: 89ab: cdef

:3:4567:89ab:cdef

67:89ab:cdef

ab : cdef

ef

AIT

Athlone Institute of Technology

The AIT Experience with IPv6 Only Wifi

Presented by Colin Donohue & Ian Hallissy

012

0123:456

0123:4567:89a

0123:4567:89ab:cde

0123:4567:89ab:cdef:012

0123:4567:89ab:cdef:0123:456

Athlone Institute of Technology

0123:4567:89ab:cdef:0123:4567:89ab:cdef

: 4567 : 89ab : cdef : 0123 : 4567 : 89ab : cdef

: 89ab : cdef : 0123 : 4567 : 89ab : cdef

: cdef : 0123 : 4567 : 89ab : cdef

Pab: cdef: 0123: 4567: 89ab ef: 0123: 4567: 89ab: cdef

!3:4567:89ab:cdef

67:89ab:cdef

ab: cdef

ef

- Located in the Irish Midlands
- Higher Education Institute
- 6000+ Students
- 700+ Staff
- Technological University



0123:4567:89ab:cdef 0123:4567:89ab:cdef:0123:4567:89ab:cdef 0123:4567:89ab:cdef

Topics

0123:4567:89ab:cdef:0123:4567:89ab:cdef

: 4567 : 89ab : cdef : 0123 : 4567 : 89ab : cdef

: 89ab : cdef : 0123 : 4567 : 89ab : cdef

: cdef : 0123 : 4567 : 89ab : cdef

?ab : cdef : 0123 : 4567 : 89ab

ef: 0123: 4567: 89ab: cdef

:3:4567:89ab:cdef

67:89ab:cdef

ab : cdef

- IPv6 Timeline
- Motivation for IPv6 Only Wifi
- Foundations for going IPv6 Only
- Goals for Wifi Project
- Features of our IPv6 Only Wifi
- Physical Infrastructure
- Wireless Infrastructure
- Network Management
- Overall Experiences IPv6 Only



012

0123:456

0123:4567:89a

0123:4567:89ab:cde

0123:4567:89ab:cdef:012

0123:4567:89ab:cdef:0123:456

0123:4567:89ab:cdef:0123:4567:89ab:cdef:0123:4567:89ab : 4567 : 89ab : cdef 0123 : 4567 : 89ab : cdef : 0123 : 4567 : 89ab : cdef

Athlone IT – IPv6 Timeline

0123:4567:89ab:cdef:0123:4567:89ab:cdef

: 4567 : 89ab : cdef : 0123 : 4567 : 89ab : cdef

: 89ab : cdef : 0123 : 4567 : 89ab : cdef

: cdef : 0123 : 4567 : 89ab : cdef

?ab : cdef : 0123 : 4567 : 89ab

ef: 0123: 4567: 89ab: cdef

!3:4567:89ab:cdef

67:89ab:cdef

ab: cdef

ef



DNS and Webservers

- Make locally hosted webservers accessible over IPv6
- Enable IPv6 on External DNS



Dual Stack on LAN

- Dual Stack just worked.
- Servers (ongoing)

2015

 All Student and Staff Vlans

IPv6 Only Campus??

- All Stakeholders on board.
- Support for Legacy Systems and Software

Future

2012

IPv6 for Wifi?

Plan

Design of IPv6 Addressing

• Issues with Skype, P2P etc.

• Plan to go Native IPv6.

2013

· All wifi clients to get

Dual Stack for Wifi

2015

IPv4 and IPv6 Address

IPv6 Only Wifi

- Full refresh of Wifi Infrastructure
- IPv6 only for everything.
- Management plane, Control plane and data plane

0123:4567:89a


012

0123:456


0123:4567:89ab:cde

0123:4567:89ab:cdef:012

0123:4567:89ab:cdef:0123:456









0123:4567:89ab:cdef 0123:4567:89ab:cdef:0123:4567:89ab: :4567:89ab:cdef 0123:4567:89ab:cdef:0123:4567:89ab:cdef

Motivation for IPv6 Only

0123:4567:89ab:cdef:0123:4567:89ab:cdef

: 4567 : 89ab : cdef : 0123 : 4567 : 89ab : cdef

: 89ab : cdef : 0123 : 4567 : 89ab : cdef

: cdef : 0123 : 4567 : 89ab : cdef

?ab : cdef : 0123 : 4567 : 89ab

ef: 0123: 4567: 89ab: cdef

13:4567:89ab:cdef

67:89ab:cdef

ab : cdef

ef

- Progress the work previously done with IPv6.
 - Easier to Identify IPv6 issues
 - Show that IPv6 works
- Manage one protocol instead of two.
- Provide a live IPv6 only environment for Research, Testing and Development
- Promote an IPv6 First Approach
 - Start by looking for IPv6 support on all new systems and Software.
 - Include IPv6 when going out for tender.

0123:456

012

0123:4567:89a

0123 : 4567 : 89ab : cde

0123:4567:89ab:cdef:012

0123:4567:89ab:cdef:0123:456



0123:4567:89ab:cdef 0123:4567:89ab:cdef:0123:4567:89ab: :4567:89ab:cdef 0123:4567:89ab:cdef:0123:4567:89ab:cdef

Foundations for going IPv6 only

0123:4567:89ab:cdef:0123:4567:89ab:cdef

: 4567 : 89ab : cdef : 0123 : 4567 : 89ab : cdef

: 89ab : cdef : 0123 : 4567 : 89ab : cdef

: cdef : 0123 : 4567 : 89ab : cdef

?ab : cdef : 0123 : 4567 : 89ab

ef: 0123: 4567: 89ab: cdef

13:4567:89ab:cdef

67:89ab:cdef

ab : cdef

.

- IPv6 Addressing Plan.
- DNS setup for ipv6
- Dual Stack of firewall Interfaces.
- Dual Stack on Internal Server Infrastructure.
- Radius Authentication over ipv6 internally and externally to national gateways (Eduroam).
- DNS64 and NAT64 Options and testing.
- Help and Advice from Experienced IPv6 Professionals



012

0123:456

0123:4567:89a

0123:4567:89ab:cde

0123:4567:89ab:cdef:012

0123:4567:89ab:cdef:0123:456

0123:4567:89ab:cdef 0123:4567:89ab:cdef:0123:4567:89ab:cdef 0123:4567:89ab:cdef

Goals for Wifi Project

0123:4567:89ab:cdef:0123:4567:89ab:cdef

: 4567 : 89ab : cdef : 0123 : 4567 : 89ab : cdef

: 89ab : cdef : 0123 : 4567 : 89ab : cdef

: cdef : 0123 : 4567 : 89ab : cdef

Pab: cdef: 0123: 4567: 89ab ef: 0123: 4567: 89ab: cdef

13:4567:89ab:cdef

67:89ab:cdef

ab : cdef

ef

- Full Campus Coverage
- Latest Wifi Technology 802.11ax (Wifi 6)
- Eduroam And Guest Wifi Access
- Network Management Tools capable of identifying issues.
- Profiling and Traceability of users and devices.
- A pure IPv6 only solution where possible.



012

0123:456

0123:4567:89a

0123:4567:89ab:cde

0123:4567:89ab:cdef:012

0123:4567:89ab:cdef:0123:456

Features of IPv6 Only Wifi

0123:4567:89ab:cdef:0123:4567:89ab:cdef

: 4567 : 89ab : cdef : 0123 : 4567 : 89ab : cdef

: 89ab : cdef : 0123 : 4567 : 89ab : cdef

: cdef : 0123 : 4567 : 89ab : cdef

?ab : cdef : 0123 : 4567 : 89ab

ef: 0123: 4567: 89ab: cdef

:3:4567:89ab:cdef

67:89ab:cdef

ab : cdef

ef

- Single Vlan
 - One large IPv6 Subnet per SSID
- Use SLAAC and RDNSS
 - For provisioning of AP's
 - For wifi Clients
- Radius Authentication over IPv6 Only
- Support for Network Management via SNMPv3, SSH and HTTPS over ipv6

012

0123 : 456

0123:4567:89a

0123:4567:89ab:cde

0123:4567:89ab:cdef:012

0123:4567:89ab:cdef:0123:456



Wifi Network Design

0123:4567:89 Athlone IT Redundant Network Design

: 4567 : 89ab : cde : 89ab : cdef : 012 : cdef : 0123 : 450


Pab : cdef : 0123 :
ef : 0123 : 4567 : 8

!3 : 4567 : 89ab : c

67:89ab:cdef

ab: cdef

ef



AIT

012

0123:456

0123:4567:89a

0123:4567:89ab:cde

0123:4567:89ab:cdef:012

0123:4567:89ab:cdef:0123:456



AIT Wifi Infrastructure modules

0123:4567:89ab:cdef:0123:4567:89ab:cdef

: 4567 : 89ab : cdef : 0123 : 4567 : 89ab : cdef

: 89ab : cdef : 0123 : 4567 : 89ab : cdef

: cdef : 0123 : 4567 : 89ab : cdef

?ab : cdef : 0123 : 4567 : 89ab

ef: 0123: 4567: 89ab: cdef

!3:4567:89ab:cdef

67:89ab:cdef

ab : cdef

ab . cac

ef

Core/ Aggregation

Access

Wireless

Physical and virtual servers

Wan edge



012

0123:456

0123:4567:89a

0123:4567:89ab:cde

0123:4567:89ab:cdef:012

0123:4567:89ab:cdef:0123:456

0123:4567:89ab:cdef 0123:4567:89ab:cdef:0123:4567:89ab : 4567 : 89ab : cdef 0123 : 4567 : 89ab : cdef : 0123 : 4567 : 89ab : cdef

Wired switch Infrastructure

0123:4567:89ab:cdef:0123:4567 Core/Aggregation

: 4567 : 89ab : cdef : 0123 : 4567 : 89ab : cde

: 89ab : cdef : 0123 : 4567 : 89ab : cdef

: cdef : 0123 : 4567 : 89ab : cdef

?ab : cdef : 0123 : 4567 : 89ab ef: 0123: 4567: 89ab: cdef

13:4567: 89ab: cdaf

67:89ab:cdef

ab: cdef

- Aruba 8325 Core series with new Aruba OS-CX database driven
- VSX cluster Stacking Technology for resilience

IPv6 Compliance

- Layer 3 compliant
- VSX CX uses IPv4 heartbeat only feature request for ipv6 pending
- Only V4 address needed on the physical infrastructure



0123:456

0123:4567:89a 0123:4567:89ab:cde

0123:4567:89ab:cdef:012

0123:4567:89ab:cdef:0123:456

0123:4567:89ab:cdef:0123:4567:89a

012

0123:4567:89ab:cdef 0123:4567:89ab:cdef:0123:4567:89ab : 4567 : 89ab : cdef 0123 : 4567 : 89ab : cdef : 0123 : 4567 : 89ab : cdef

Wired switch Infrastructure

0123:4567:89ab:cdef:0123:4567

: 4567 : 89ab : cdef : 0123 : 4567 : 89ab : cdef

: 89ab : cdef : 0123 : 4567 : 89ab : cdef

: cdef : 0123 : 4567 : 89ab : cdef

?ab : cdef : 0123 : 4567 : 89ab

ef: 0123: 4567: 89ab: cdef

!3:4567:89ab:cdef

67:89ab:cdef

ab: cdef

Access Layer

- Aruba 6300 CX access switches
- POE switches up to 60W per port
- Smartrate multigig 802.3bz uplink over cat6a

IPv6 Compliance

- Layer 2 Switches with native IPv6 management address and gateway
- All Good



012

0123:456

0123:4567:89a 0123:4567:89ab:cde

0123:4567:89ab:cdef:012

0123:4567:89ab:cdef:0123:456

0123:4567:89ab:cdef:0123:4567:89ab:cdef:0123:4567:89ab : 4567 : 89ab : cdef 0123 : 4567 : 89ab : cdef : 0123 : 4567 : 89ab : cdef

Wireless Infrastructure

0123:4567:89ab:cdef:0123:4567

: 89ab : cdef : 0123 : 4567 : 89ab : cdef

: 4567 : 89ab : cdef : 0123 : 4567 : 89ab : cde

: cdef : 0123 : 4567 : 89ab : cdef

Pab: cdef: 0123: 4567: 89ab

ef: 0123: 4567: 89ab: cdef

!3:4567:89ab:cdef

67:89ab:cdef

ab: cdef

Access Point

 Aruba 510 series access points with 802.11ax (WIFI6) 2.4GHZ and 5GHZ

- Aruba intelligent software are designed to deliver high performance for mobile and IoT devices
- Access Points Deployed Aruba 515 and Aruba 555

IPv6 Compliance

- DNS controller discovery using AAAA
- SLAAC and RDNSS
- All Good with provisioning
- DHCP client on AP over IPv4 cannot be turned off.

0123:4567:89ab:cdef:0123:456

0123:4567:89ab:cdef:0123:4567:89a



012

0123:456

0123:4567:89a

0123:4567:89ab:cde

0123:4567:89ab:cdef:012

0123:4567:89ab:cdef 0123:4567:89ab:cdef:0123:4567:89ab: :4567:89ab:cdef 0123:4567:89ab:cdef:0123:4567:89ab:cdef

Wireless Infrastructure

: 4567 : 89ab : cdef : 0123 : 4567 : 89ab : cdef

: 89ab : cdef : 0123 : 4567 : 89ab : cdef

: cdef : 0123 : 4567 : 89ab : cdef

Pab: cdef: 0123: 4567: 89ab

ef: 0123: 4567: 89ab: cdef

13:4567:89ab:cdef

67:89ab:cdef

.

ab : cdef

ef

<u>IPv6 Compliance</u>

 Access to Aruba beta program provided ArubaOS 8.7 which enabled native ipv6 controller support

Aruba 7210 physical mobility controllers

with 20 Gbps throughput and stateful

firewall policy enforcement.

- DNS v6 for arubamaster.ait.ie needed for v6 provisioning of APs
- IPv6 support for radius



012

0123 : 456

0123:4567:89a

0123:4567:89ab:cde

0123:4567:89ab:cdef:012

0123:4567:89ab:cdef:0123:456

Virtual servers for network provisioning/management

0123:4567:89ab:cdef:0123:4567:89ab:cdef

: 4567 : 89ab : cdef : 0123 : 4567 : 89ab : cdef

: 89ab : cdef : 0123 : 4567 : 89ab : cdef

: cdef : 0123 : 4567 : 89ab : cdef

?ab : cdef : 0123 : 4567 : 89ab

ef: 0123: 4567: 89ab: cdef

!3:4567:89ab:cdef

67:89ab:cdef

ab : cdef

0,00

ef

AIT

Mobility master

Airwave

Clearpass

0120 . 430

0123:4567:89a

0123:4567:89ab:cde

0123:4567:89ab:cdef:012

0123:4567:89ab:cdef:0123:456

0123:4567:89ab:cdef:0123:4567:89a

012

0123:456

0123:4567:89ab:cdef 0123:4567:89ab:cdef:0123:4567:89ab : 4567 : 89ab : cdef 0123 : 4567 : 89ab : cdef : 0123 : 4567 : 89ab : cdef

Network provisioning

0123:4567:89ab:cdef:0123:4567

: 4567 : 89ab : cdef : 0123 : 4567 : 89ab : cdef

: 89ab : cdef : 0123 : 4567 : 89ab : cdef

: cdef : 0123 : 4567 : 89ab : cdef

Pab: cdef: 0123: 4567: 89ab ef: 0123: 4567: 89ab: cdef

!3:4567:89ab:cdef

67:89ab:cdef

ab: cdef

ef

Mobility Master

- Mobility master is central provisioning solution, configuration manager and policy engine for entire Aruba wireless solution.
- Central controller for licensing and configuration of AIT WLAN

<u>IPV6 Compliance</u>

All good

012

0123:456

0123:4567:89a

0123:4567:89ab:cde

0123:4567:89ab:cdef:012

0123:4567:89ab:cdef:0123:456



0123:4567:89ab:cdef:0123:4567:89ab:cdef:0123:4567:89ab : 4567 : 89ab : cdef 0123 : 4567 : 89ab : cdef : 0123 : 4567 : 89ab : cdef

Network Management

0123:4567:89ab:cdef:0123:4567

: 4567 : 89ab : cdef : 0123 : 4567 : 89ab : cdef

: 89ab : cdef : 0123 : 4567 : 89ab : cdef

: cdef : 0123 : 4567 : 89ab : cdef

ab: cdef: 0123: 4567: 89ab ef: 0123: 4567: 89ab: cdef

!3:4567:89ab:cdef

67:89ab:cdef

ab: cdef

Airwave

- Airwave is an on-prem network management system
 - Real-time visibility,
 - Client traffic analysis,
 - Trouble-shooting,
 - Visual RF for RF heat-maps,

IPv6 Compliance

- SNMPv3 over Native IPv6 supported with latest version
- All features supported over IPv6 with the exception of Licensing.

Feature Request has been submitted.

0123:456

012

0123:4567:89a 0123:4567:89ab:cde

0123:4567:89ab:cdef:012

0123:4567:89ab:cdef:0123:456



0123:4567:89ab:cdef 0123:4567:89ab:cdef:0123:4567:89ab :4567:89ab:cdef 0123:4567:89ab:cdef:0123:4567:89ab:cdef

Network Access Control

: 4567 : 89ab : cdef : 0123 : 4567 : 89ab : cdef

: 89ab : cdef : 0123 : 4567 : 89ab : cdef

: cdef : 0123 : 4567 : 89ab : cdef

?ab : cdef : 0123 : 4567 : 89ab

ef: 0123: 4567: 89ab: cdef

13:4567:89ab:cdef

67:89ab:cdef

ab : cdef

ef



- Device Visibility, control and Attack Response for the Enterprise
- Identify who and what connects to your network
- Captive Portal for email sponsored access to guest network

IPV6 Compliance

Radius Proxy not currently supported over IPv6

012

0123 : 456

0123:4567:89a

0123:4567:89ab:cde

0123:4567:89ab:cdef:012

0123:4567:89ab:cdef:0123:456

: 0123: 4567: 89ab: cdef 0123: 4567: 89ab: cdef: 0123: 4567: 89ab : 4567 : 89ab : cdef 0123 : 4567 : 89ab : cdef : 0123 : 4567 : 89ab : cdef

WAN Edge

0123:4567:89ab:cdef:0123:4567 Firewall

: 4567 : 89ab : cdef : 0123 : 4567 : 89ab : cdef

: 89ab : cdef : 0123 : 4567 : 89ab : cdef

: cdef : 0123 : 4567 : 89ab : cdef

ab: cdef: 0123: 4567: 89ab

ef: 0123: 4567: 89ab: cdef

!3:4567:89ab:cdef

67:89ab:cdef

ab: cdef

ef



• NAT64

DNS64

IPV6 Compliance

Fully compliant



012

0123:456

0123:4567:89a

0123:4567:89ab:cde

0123:4567:89ab:cdef:012

0123:4567:89ab:cdef:0123:456

0123:4567:89ab:cdef 0123:4567:89ab:cdef:0123:4567:89ab :4567:89ab:cdef 0123:4567:89ab:cdef:0123:4567:89ab:cdef

Overall Experience – IPv6 Only

0123:4567:89ab:cdef:0123:4567:89ab:cdef

: 4567 : 89ab : cdef : 0123 : 4567 : 89ab : cdef

: 89ab : cdef : 0123 : 4567 : 89ab : cdef

: cdef : 0123 : 4567 : 89ab : cdef

Pab: cdef: 0123: 4567: 89ab

ef: 0123: 4567: 89ab: cdef

:3:4567:89ab:cdef

67:89ab:cdef

ab : cdef

ab . cac

Exceptions

Clearpass Radius Proxy not yet supported VSX Heartbeat needs IPv4 address Airwave Licensing needs an IPv4 address

WIFI6 with IPV6 network delivered on schedule

Contribution of Ben Riedel of VEI immense.

IPv6 Only Goal has been achieved.

AIT

0123 : 456

012

0123:4567:89a

0123:4567:89ab:cde

0123:4567:89ab:cdef:012

0123:4567:89ab:cdef:0123:456

AIT

0123:4567:89ab:cdef:0123:4567:89ab:cdef

: 4567: 89ab: cdef: 0123: 4567: 89ab: cdef

: 89ab : cdef : 0123 : 4567 : 89ab : cdef

: cdef : 0123 : 4567 : 89ab : cdef

?ab : cdef : 0123 : 4567 : 89ab

ef: 0123: 4567: 89ab: cdef

!3 : 4567 : 89ab : cdef

67:89ab:cdef

ab: cdef

ef

Thank You

Any Questions

0123 : 456

012

0123:4567:89a

0123:4567:89ab:cde

0123:4567:89ab:cdef:012

0123:4567:89ab:cdef:0123:456