





[General Settings](#) [Port Forwards](#) [Traffic Rules](#) [NAT Rules](#) [Custom Rules](#)

Firewall - Zone Settings

The firewall creates zones over your network interfaces to control network traffic flow.

General Settings

Enable SYN-flood protection Drop invalid packets Input Output Forward

Routing/NAT Offloading

Experimental feature. Not fully compatible with QoS/SQM.

Software flow offloading Software based offloading for routing/NAT

Zones

Zone → Forwardings	Input	Output	Forward	Masquerading	
lan ⇒ wan dmz	<input type="text" value="accept"/>	<input type="text" value="accept"/>	<input type="text" value="accept"/>	<input type="checkbox"/>	<input type="button" value="≡"/> <input type="button" value="Edit"/> <input type="button" value="Delete"/>
wan ⇒ dmz	<input type="text" value="reject"/>	<input type="text" value="accept"/>	<input type="text" value="reject"/>	<input checked="" type="checkbox"/>	<input type="button" value="≡"/> <input type="button" value="Edit"/> <input type="button" value="Delete"/>
dmz ⇒ wan	<input type="text" value="accept"/>	<input type="text" value="accept"/>	<input type="text" value="reject"/>	<input type="checkbox"/>	<input type="button" value="≡"/> <input type="button" value="Edit"/> <input type="button" value="Delete"/>
<input type="button" value="Add"/>					

 ▾

Interfaces

Devices

Global network options

Interfaces

LAN
br-lan

Protocol: Static address
Uptime: 2d 21h 15m 52s
MAC: 00:50:56:B5:55:E1
RX: 5.28 MB (25579 Pkts.)
TX: 38.93 MB (190376 Pkts.)
IPv4: 192.168.1.1/24
IPv6: [REDACTED]:9ace::1/64

Restart

Stop

Edit

Delete

WAN
eth1

Protocol: DHCP client
Uptime: 2d 22h 12m 21s
MAC: 00:50:56:B5:9D:A8
RX: 18.24 MB (119362 Pkts.)
TX: 35.23 MB (199120 Pkts.)
IPv4: 192.168.0.35/24

Restart

Stop

Edit

Delete

WAN6
eth1

Protocol: DHCPv6 client
Uptime: 2d 22h 12m 17s
MAC: 00:50:56:B5:9D:A8
RX: 18.24 MB (119362 Pkts.)
TX: 35.23 MB (199120 Pkts.)
IPv6: [REDACTED]:9ac0:563d:b947:ec8f:13cb/128
IPv6: [REDACTED]:9ac0:250:56ff:feb5:9da8/64
IPv6-PD: [REDACTED]:9ace::/63

Restart

Stop

Edit

Delete

DMZ
eth2

Protocol: Static address
Uptime: 2d 21h 21m 9s
MAC: 00:50:56:B5:B2:D5
RX: 0 B (0 Pkts.)
TX: 28.39 MB (166419 Pkts.)
IPv6: [REDACTED]:9acf::2/64

Restart

Stop

Edit

Delete

Add new interface...

Save & Apply ▾

Save

Reset